

Intravenous Infusion Rates for treprostinil concentration 50,000 ng/mL

(50,000 ng/mL = 5,000,000 ng treprostinil in 100 mL)

Fill in the weight (kg) and calculate the INFUSION RATE (mL/hour) = [weight (kg) x rate (mL/kg/hour)]

Dose (ng/kg/minute)	rate(mL/kg/hour)	weight (kg)	INFUSION RATE (mL/hour)
10	0.012		
11	0.013		
12	0.014		
13	0.016		
14	0.017		
15	0.018		
16	0.019		
17	0.02		
18	0.022		
19	0.023		
20	0.024		
21	0.025		
22	0.026		
23	0.028		
24	0.029		
25	0.03		
26	0.031		
27	0.032		
28	0.034		
29	0.035		
30	0.036		
31	0.037		
32	0.038		
33	0.04		
34	0.041		
35	0.042		
36	0.043		
37	0.044		
38	0.046		
39	0.047		
40	0.048		

Intravenous Infusion Rates for treprostinil concentration 100,000 ng/mL

(100,000 ng/mL = 10,000,000 ng treprostinil in 100 mL)

Fill in the weight (kg) and calculate the INFUSION RATE (mL/hour) = [weight (kg) x rate (mL/kg/hour)]

Dose (ng/kg/minute)	rate(mL/kg/hour)	weight (kg)	INFUSION RATE (mL/hour)
20	0.012		
21	0.0126		
22	0.0132		
23	0.0138		
24	0.0144		
25	0.015		
26	0.0156		
27	0.0162		
28	0.0168		
29	0.0174		
30	0.018		
31	0.0186		
32	0.0192		
33	0.0198		
34	0.0204		
35	0.021		
36	0.0216		
37	0.0222		
38	0.0228		
39	0.0234		
40	0.024		
41	0.0246		
42	0.0252		
43	0.0258		
44	0.0264		
45	0.027		
46	0.0276		
47	0.0282		
48	0.0288		
49	0.0294		
50	0.03		

Intravenous Infusion Rates for treprostinil concentration 200,000 ng/mL

(200,000 ng/mL = 20,000,000 ng treprostinil in 100 mL)

Fill in the weight (kg) and calculate the INFUSION RATE (mL/hour) = [weight (kg) x rate (mL/kg/hour)]

Dose (ng/kg/minute)	rate(mL/kg/hour)	weight (kg)	INFUSION RATE (mL/hour)
40	0.012		
42	0.0126		
44	0.0132		
46	0.0138		
48	0.0144		
50	0.015		
52	0.0156		
54	0.0162		
56	0.0168		
58	0.0174		
60	0.018		
62	0.0186		
64	0.0192		
66	0.0198		
68	0.0204		
70	0.021		
72	0.0216		
74	0.0222		
76	0.0228		
78	0.0234		
80	0.024		
82	0.0246		
84	0.0252		
86	0.0258		
88	0.0264		
90	0.027		
92	0.0276		
94	0.0282		
96	0.0288		
98	0.0294		
100	0.03		
102	0.0306		
104	0.0312		
106	0.0318		
108	0.0324		
110	0.033		

Intravenous Infusion Rates for treprostinil concentration 300,000 ng/mL

(300,000 ng/mL = 30,000,000 ng treprostinil in 100 mL)

Fill in the weight (kg) and calculate the INFUSION RATE (mL/hour) = [weight (kg) x rate (mL/kg/hour)]

Dose (ng/kg/minute)	rate(mL/kg/hour)	weight (kg)	INFUSION RATE (mL/hour)
50	0.01		
52	0.0104		
54	0.0108		
56	0.0112		
58	0.0116		
60	0.012		
62	0.0124		
64	0.0128		
66	0.0132		
68	0.0136		
70	0.014		
72	0.0144		
74	0.0148		
76	0.0152		
78	0.0156		
80	0.016		
82	0.0164		
84	0.0168		
86	0.0172		
88	0.0176		
90	0.018		
92	0.0184		
94	0.0188		
96	0.0192		
98	0.0196		
100	0.02		
102	0.0204		
104	0.0208		
106	0.0212		
108	0.0216		
110	0.022		
112	0.0224		
114	0.0228		
116	0.0232		
118	0.0236		
120	0.024		